

Clint

7084.01 - 7084.34



Product

Upholstery

Description

An upholstery fabric with a two-tonal, non-directional fine grid and a woollen look and feel, finished with a fluorocarbon-free (stain- and water-repellent) treatment

Composition

100% recycled polyester FR with a fluorocarbon-free finish

Width

± 152 cm, ± 60 inches

Weight

± 555 gr/m², ± 18 oz/yd²

Flame retardancy

BS 5852 , Crib 5

DIN 4102 , B1

EN 1021/1-2 , Pass

IMO 2010 FTP part 8 , Pass

NF D 60-013 , Pass

Übereinstimmung , Pass

UNI 9175 , Classe 1

Abrasion

ASTM D3597/D4157 (#10 cotton duck) ,

70.000 double rubs wyzenbeek

ISO 12947-2 , 80.000 rubs martindale

Pilling

ASTM D3511

5 (scale 1-5)

ISO 12945-2

4 (scale 1-5)

Colorfastness to crocking

AATCC 8

5 (scale 1-5) wet / 5 (scale 1-5) dry

ISO 105 X12

4-5 (scale 1-5) wet / 4-5 (scale 1-5) dry

Colorfastness to light

AATCC 16.2 opt.1 or 16.3 opt. 3

4.5 (scale 1-5)

ISO 105 B02

6 (scale 1-8)

Seam slippage

ASTM D4034

124 lbf warp / 97 lbf weft

ISO 13936-2

2,67 warp / 2,67 weft

Water repellency

EN ISO 4920

4 (scale 0-5)

Breaking strength

ASTM D5034

226 lbf warp / 382 lbf weft

ISO 13934-1

1250 N warp / 2260 N weft

Labels



USCG -
EU MRA
0038



STANDARD
100
S21-3365
Hohenstein HTTI

Care & Maintenance



Clint

7084.01 - 7084.34

Shrinkage

Shrinkage 30°

-1.8% warp / -1.6% weft

Shrinkage 70°

-2% warp / -2% weft

Clint

7084.01 - 7084.34



7084.01



7084.02



7084.03



7084.04




7084.05



7084.06



7084.07



7084.08



7084.09



7084.10



7084.11



7084.12



7084.13



7084.14




7084.15



7084.16



7084.17



7084.18



7084.19



7084.20



7084.21



7084.22



7084.23



7084.24



7084.25



7084.26



7084.27



7084.28



7084.29



7084.30



7084.31



7084.32



7084.33



7084.34