

# Bay

7090.01 - 7090.10

---



**Product**  
**Upholstery**

**Description**  
**Indoor-outdoor upholstery fabric with a fine melange two-tonal weave**

**Composition**  
**100% polypropylene**

**Width**  
**± 140 cm, ± 55 inches**

**Weight**  
**± 450 gr/m<sup>2</sup>, ± 14.5 oz/yd<sup>2</sup>**

**Flame retardancy**  
**EN 1021/1 , Pass**  
**IMO 2010 FTP part 8 , Pass**

**Abrasion**  
**ISO 12947-2 , 40.000**

**Pilling**  
**ISO 12945-2**  
4-5 (scale 1-5)

**Colorfastness to artificial weathering**  
**ISO 105 B04**  
7-8 (scale 1-8)

**Colorfastness to chlorinated water**  
**ISO 105 E03**  
4 (scale 1-5)

**Colorfastness to crocking**  
**ISO 105 X12**  
4-5 (scale 1-5) wet / 5 (scale 1-5) dry

**Colorfastness to light**  
**ISO 105 B02**  
7-8 (scale 1-8)

# Bay

7090.01 - 7090.10

---

Colorfastness to sea water

**ISO 105 E02**

4-5 (scale 1-5)

Seam slippage

**ISO 13936-2**

2.67 mm warp / 2.33 mm weft

Breaking strength

**ISO 13934-1**

2160 N warp / 2080 N weft

Labels



USCG -  
EU MRA  
0038



STANDARD  
100  
507-0023  
Hohenstein HTTI

Care & Maintenance



Shrinkage


**Shrinkage 70°**

-1,9% warp / -2,0% weft


# Bay

7090.01 - 7090.10


---




7090.01




7090.02




7090.03




7090.04




7090.05




7090.06



7090.07



7090.08



7090.09



7090.10