

Bosco

7092.01 - 7092.23



产品

面料

描述

Soft bouclé and chenille upholstery fabric with a richly layered, woolly melange look and feel

成分

100%再生阻燃纤维窗纱面料

宽幅

± 138 cm, ± 54 inches

重量

± 741 gr/m², ± 23,9 oz/yd²

阻燃

**BS 5852 , Crib 5
Cal TB 117-2013, section 1 , Pass
DIN 4102 , B1
EN 1021/1-2 , Pass
IMO 2010 FTP part 8 , Pass
NF D 60-013 , Pass
NFPA 260 , Class 1
Übereinstimmung , Pass
UNI 9175 , Classe 1**

耐磨性

**ASTM D3597/D4157 (#10 cotton duck) ,
85.000
ISO 12947-2 , 80.000**

起毛指数

**ASTM D3511
5 (scale 1-5)
ISO 12945-2
4 (scale 1-5)**

耐摩擦褪色

**AATCC 8
5 (scale 1-5) wet / 5 (scale 1-5) dry
ISO 105 X12
4-5 (scale 1-5) wet / 4-5 (scale 1-5) dry**

耐光照褪色

**AATCC 16.2 opt.1 or 16.3 opt. 3
5 (scale 1-5)
ISO 105 B02
6 (scale 1-8)**

耐滑缝

**ASTM D4034
32 warp / 133,5 weft
ISO 13936-2
4 mm warp / 2,67 mm weft**

抗断裂强度

**ASTM D5034
241 warp / 210 weft
ISO 13934-1
1220 N warp / 1040 N weft**

标签



USCG -
EU MRA
0038



STANDARD
100
521-3365
Hohenstein RTT



Baustoffklasse schwerentflammbar
DIN 4102, B1

保养与维护



Bosco

7092.01 - 7092.23

收缩率

Shrinkage 30°

-1,0% warp / -2,0% weft

Shrinkage 50°

-1,0% warp / -2,5% weft

Bosco

7092.01 - 7092.23



7092.01



7092.02



7092.03



7092.04



7092.05



7092.06



7092.07



7092.08



7092.09



7092.10



7092.11



7092.12



7092.13



7092.14



7092.15



7092.16



7092.17



7092.18



7092.19



7092.20



7092.21



7092.22



7092.23